

PRICE LIST № 5

for paid medical services provided by the health care institution "13th City Polyclinic"
foreign citizens

(in rubles)

| Price List Item | Services list | Units | Tariff with / without VAT | Material cost | Total |
|--|---|--------------|---------------------------|---------------|--------------|
| 1. Consultations of medical specialists | | | | | |
| p.1.1 | Specialist of the second category: | | | | |
| p. 1.1.1 | of the therapeutic profile (therapist, neurologist, infectious diseases specialist, endocrinologist, rehabilitologist, functional diagnostics doctor) | consultation | 23,28 | 0,33 | 23,61 |
| p. 1.1.2 | surgical profile: | | | | |
| | Ophthalmologist (oculist) | consultation | 23,53 | 0,34 | 23,87 |
| | ENT specialist (ENT) | consultation | 23,53 | 0,38 | 23,91 |
| | Surgeon | consultation | 23,53 | 0,41 | 23,94 |
| p.1.2 | Medical specialist of the first category: | | | | |
| p. 1.2.1 | therapeutic profile (therapist, neurologist, endocrinologist, rehabilitologist, functional diagnostics doctor) | consultation | 24,11 | 0,33 | 24,44 |
| p. 1.2.2 | surgical profile: | | | | |
| | Ophthalmologist (oculist) | consultation | 24,42 | 0,34 | 24,76 |
| | ENT specialist (ENT) | consultation | 24,42 | 0,38 | 24,80 |
| | Surgeon | consultation | 24,42 | 0,41 | 24,83 |
| p.1.3 | Specialist of the highest category: | | | | |
| p. 1.3.1 | therapeutic profile (therapist, neurologist, endocrinologist, rehabilitologist, functional diagnostics doctor) | consultation | 25,03 | 0,33 | 25,36 |
| p. 1.3.2 | surgical profile: | | | | |
| | Ophthalmologist (oculist) | consultation | 25,07 | 0,34 | 25,41 |
| | ENT specialist (ENT) | consultation | 25,07 | 0,38 | 25,45 |
| | Surgeon | consultation | 25,07 | 0,41 | 25,48 |
| 2. Instrumental diagnostics | | | | | |
| p.5.1.1.1 | Electrocardiogram without functional tests (ECG) | study | 11,56 | 0,56 | 12,12 |
| p.5.3.1 | Examination of respiratory function without functional tests (LF) | study | 14,51 | 0,58 | 15,09 |
| p. 1.5 | daily ECG monitoring (Holter monitoring) | study | 67,32 | 0,00 | 67,32 |
| p. 2 | Daily blood pressure monitoring | study | 53,60 | 0,00 | 53,60 |
| 3. Laboratory studies | | | | | |
| p.1 | General blood analysis | study | 10,79 | 0,48 | 11,27 |
| p. 1.4 | Blood sampling from a vein | sample | 6,11 | 0,72 | 6,83 |

| | | | | | |
|--------------------------------|--|-------|-------|------|--------------|
| p. 5.2.6 | Determination of glucose in serum by enzymatic method | study | 7,08 | 0,47 | 7,55 |
| p. 2.1 | General urine analysis | study | 9,05 | 0,49 | 9,54 |
| p.2.1.10 | Microscopic examination of sediment: | | | | |
| p.2.1.11 | counting the number of formed elements using the Nechiporenko method | study | 8,81 | 0,09 | 8,90 |
| p.2.1.12 | determination of concentrated kidney capacity according to Zimnitsky | study | 6,72 | 0,04 | 6,76 |
| p.2.8 | The study of feces: | | | | |
| | microscopic examination of 3 drugs | study | 13,54 | 0,32 | 13,86 |
| | helminth egg detection | study | 7,19 | 0,10 | 7,29 |
| | enterobiosis research | study | 7,19 | 0,19 | 7,38 |
| p. 3.14 | Blood test for malaria parasites: | | | | |
| p. 3.14.1 | with the preparation of a thick drop | study | 16,82 | 0,77 | 17,59 |
| p. 3.14.2 | in colored smear | study | 15,22 | 0,77 | 15,99 |
| p. 8.7 | Study of genital secretions for gonococci: | | | | |
| p. 8.7.1.1 | in gram-stained preparations of the urinary organs discharge | study | 11,98 | 0,72 | 12,70 |
| p. 8.7.1.2 | in methylene-stained preparations of the urinary organs discharge | study | 9,62 | 0,72 | 10,34 |
| 4. Ultrasound diagnosis | | | | | |
| p.2.2.1 | Kidneys and adrenal glands | study | 24,59 | 0,44 | 25,03 |
| p.2.2.3 | Bladder with determination of urine residue | study | 11,93 | 0,51 | 12,44 |
| p.2.2.6 | Prostate gland with bladder and urine residue determination | study | 26,94 | 0,44 | 27,38 |
| p.2.2.16 | Abdominal and Kidney Organs | study | 31,57 | 0,51 | 32,08 |
| p.2.3.1 | Thyroid gland with superficial lymph nodes | study | 20,01 | 0,44 | 20,45 |
| p.2.3.2 | Mammary glands with superficial lymph nodes | study | 25,01 | 0,51 | 25,52 |
| p. 2.3.3 | Salivary glands (either submandibular or parotid) | study | 10,00 | 0,44 | 10,44 |
| p. 2.3.4 | Soft tissue | study | 10,00 | 0,44 | 10,44 |
| p.2.3.6 | Paired joints (knee joints) | study | 23,92 | 0,51 | 24,43 |
| p.2.4.18 | Duplex scanning of vessels with color and energy doppler of one arterial or one venous pool (brachiocephalic vessels) | study | 41,82 | 0,51 | 42,33 |
| p.2.4.18 | Duplex scanning of vessels with color and energy doppler of one arterial or one venous pool (vessels of the lower extremities) | study | 51,52 | 0,92 | 52,44 |
| 5. X-ray examinations | | | | | |
| p.1.1.1.2.1. | X-ray (survey) chest cavity in one projection | study | 11,29 | 2,45 | 13,74 |
| p.1.1.1.2.2 | X-ray (survey) chest cavity in two projections | study | 16,94 | 4,52 | 21,46 |
| p.1.1.1.7.1 | Fluorography (prophylactic) in one projection | study | 8,71 | 0,38 | 9,09 |

| | | | | | |
|--|--|--------------|-------|------|--------------|
| p.1.1.1.7.2 | Fluorography (prophylactic) in two projections | study | 11,34 | 0,38 | 11,72 |
| p.1.1.1.8.1 | Fluorography diagnostic in one projection | study | 7,78 | 0,38 | 8,16 |
| p.1.1.1.8.2 | Fluorography diagnostic in two projections | study | 11,67 | 0,38 | 12,05 |
| p.1.1.1.9 | Fluorogram analysis by a doctor | study | 1,91 | | 1,91 |
| p.1.1.2.2 | X-ray (review) of the abdominal cavity | study | 11,29 | 0,35 | 11,64 |
| p.1.1.2.3 | X-ray (survey) of the abdominal cavity | study | 11,29 | 2,27 | 13,56 |
| p.1.1.3.1.1 | Radiography of the spine in one projection * | | | | |
| | X-ray film 24x30 | study | 11,29 | 1,65 | 12,94 |
| | X-ray film 30x40 | study | 11,29 | 2,42 | 13,71 |
| p.1.1.3.1.2 | Radiography of the spine in two projections * | | | | |
| | X-ray film 24x30 | study | 16,94 | 2,94 | 19,88 |
| | X-ray film 30x40 | study | 16,94 | 4,48 | 21,42 |
| p.1.1.3.2.1 | X-ray of the peripheral parts of the skeleton in one projection | | | | 0,00 |
| | X-ray film 24x30 | study | 11,29 | 1,65 | 12,94 |
| | X-ray film 30x40 | study | 11,29 | 2,42 | 13,71 |
| p.1.1.3.2.2 | X-ray of the peripheral parts of the skeleton in one projection | | | | |
| | X-ray film 24x30 | study | 16,94 | 2,94 | 19,88 |
| | X-ray film 30x40 | study | 16,94 | 4,48 | 21,42 |
| p.1.1.3.3.1 | X-ray of the skull in one projection | study | 11,29 | 1,65 | 12,94 |
| p.1.1.3.3.2 | X-ray of the skull in two projections | study | 16,94 | 2,94 | 19,88 |
| p.1.1.3.4 | X-ray of the paranasal sinuses | study | 11,29 | 1,00 | 12,29 |
| p.1.1.3.17 | Radiography of the pelvic bones | study | 11,29 | 2,42 | 13,71 |
| p.1.1.3.18 | X-ray of soft tissues | | | | |
| | X-ray film 18x24 | study | 11,29 | 1,14 | 12,43 |
| | X-ray film 24x30 | study | 11,29 | 1,65 | 12,94 |
| | X-ray film 30x40 | study | 11,29 | 2,42 | 13,71 |
| <i>* The cost does not include the cost of consumables (X-ray film, fixer and developer), which is additionally paid by the patient.</i> | | | | | |
| p.1.2 | Remote consultation on the radiographs provided with the registration protocol | consultation | 22,58 | | 22,58 |
| 6. General-purpose manipulation | | | | | |
| p. 1 | Intramuscular injection | procedure | 4,42 | 1,09 | 5,51 |
| p. 2 | Intravenous drip medication: | | | | |
| p. 2.1 | 200 ml volume | procedure | 15,18 | 2,78 | 17,96 |
| p. 3 | Subcutaneous injection | procedure | 3,10 | 1,07 | 4,17 |
| p. 4 | Внутривенное Intravenous jet composition of drugs | procedure | 6,64 | 2,70 | 9,34 |

| | | | | | |
|--|--|--------------|-------|------|--------------|
| p. 5 | Intradermal injection | procedure | 3,10 | 1,07 | 4,17 |
| p. 8 | Blood pressure measurement | procedure | 3,10 | 0,66 | 3,76 |
| 7. Surgical manipulations | | | | | |
| p. 2.1 | Dressing | manipulation | 7,96 | 1,87 | 9,83 |
| 8. General Surgery | | | | | |
| p. 1 | Primary wound surgery | operation | 14,03 | 2,41 | 16,44 |
| p. 2 | Autopsy and drainage of the boil, or carbuncle, or hydradenitis | operation | 13,13 | 1,51 | 14,64 |
| p. 5 | Removal of a festering tumor | operation | 27,98 | 3,98 | 31,96 |
| p. 6 | Opening of the skin or subcutaneous felon | operation | 14,44 | 1,55 | 15,99 |
| p. 11 | Nail removal | operation | 14,44 | 3,98 | 18,42 |
| p. 12 | Radical operations with hydradenitis | operation | 36,41 | 3,98 | 40,39 |
| 9. Manipulations in otorhinolaryngology | | | | | |
| p. 2.1 | Washing the external auditory canal | manipulation | 5,05 | 0,82 | 5,87 |
| p. 2.2 | Sulfuric plug removal | manipulation | 13,43 | 0,82 | 14,25 |
| p. 2.16 | Lacunae tonsil lavage | manipulation | 12,59 | 3,88 | 16,47 |
| p. 2.30 | Vacuum drainage of the paranasal sinuses by Zonderman and Proets | manipulation | 12,51 | 1,79 | 14,30 |
| 10. Pros of workers ** | | | | | |
| p.1.1 | Examination by a general practitioner | inspection | 9,59 | 0,06 | 9,65 |
| p.1.2 | Examination by a neurologist | inspection | 9,80 | 0,06 | 9,86 |
| p.1.3 | Examination by an ophthalmologist | inspection | 10,07 | 0,04 | 10,11 |
| p.1.4 | Examination by an otorhinolaryngologist | inspection | 9,06 | 0,05 | 9,11 |
| p.1.5 | Survey by a surgeon | inspection | 11,09 | 0,06 | 11,15 |
| p.1.6 | Examination by an obstetrician-gynecologist | inspection | 7,24 | 1,05 | 8,29 |
| p. 1.9 | Examination by an infectious disease physician | inspection | 12,44 | 0,28 | 12,72 |
| p.1.15 | Making a final expert decision by a specialist doctor | service | 12,07 | | 12,07 |
| p.1 | General blood analysis | study | 10,79 | 0,48 | 11,27 |
| p. 2.1 | General urine analysis | study | 9,05 | 0,49 | 9,54 |
| p. 5.2.6 | Determination of glucose in serum by enzymatic method | study | 7,08 | 0,47 | 7,55 |
| p. 1.4 | Blood sampling from a vein | sample | 6,11 | 0,72 | 6,83 |
| p.1.1.1.7.1 | Fluorography (prophylactic) in one projection, analysis | study | 10,62 | 0,38 | 11,00 |
| p.5.1.1.1 | Electrocardiogram without functional test (ECG) | study | 11,56 | 0,56 | 12,12 |
| p.5.3.1 | The study of the function of external respiration without functional test (LF) | study | 14,51 | 0,58 | 15,09 |
| p.1.16 | Registration of the surveyed medical registrar | service | 3,24 | | 3,24 |

| 11. Professional examination for obtaining a residence permit | | | | | |
|--|---|------------|--------|-------------------|---------------|
| p.1.6 | Examination by an obstetrician-gynecologist | inspection | 7,24 | 1,05 | 8,29 |
| p. 8.7 | Examination of genital secretions for gonococci (with a smear fence) | study | 12,81 | 0,72 | 13,53 |
| p. 1.9 | Examination by an infectious disease physician | inspection | 12,44 | 0,28 | 12,72 |
| p.1.15 | Making a final expert decision by a specialist doctor | service | 12,07 | | 12,07 |
| p. 1 | Blood sampling from a vein | sample | 6,11 | 0,72 | 6,83 |
| p. 3.14 | Blood Test for Malaria Plasmodium | study | 16,82 | 0,77 | 17,59 |
| p.1 | General blood analysis | study | 10,79 | 0,48 | 11,27 |
| p. 2.1 | General urine analysis | study | 9,05 | 0,49 | 9,54 |
| p.1.1.1.7.1 | Fluorography (prophylactic) in one projection, analysis | study | 10,62 | 0,38 | 11,00 |
| p.5.1.1.1 | Electrocardiogram without functional test (ECG) | study | 11,56 | 0,56 | 12,12 |
| TOTAL cost | | | | <i>for men:</i> | 106,67 |
| | | | | <i>for women:</i> | 114,96 |
| 12. Medical service "Personal Therapist" | | | | | |
| 1 | Annual service for women | service | 625,86 | 11,91 | 637,77 |
| 2 | Annual service for men | service | 636,17 | 10,99 | 647,16 |
| 13. Treatment program "Cardiology" | | | | | |
| 1 | Comprehensive survey | service | 421,97 | 8,77 | 430,74 |
| 14. Treatment program "Diabetes" | | | | | |
| 1 | Comprehensive survey | service | 578,17 | 12,85 | 591,02 |
| 15. Vaccination | | | | | |
| p. 1 | Vaccination procedure *** | procedure | 6,35 | 0,46 | 6,81 |
| 16. Performing massage procedures by mechanical action with the hands (taking into account the preparatory stage) | | | | | |
| p.1.1 | Head massage (frontal-temporal and occipital-parietal region) | procedure | 6,73 | 0,86 | 7,59 |
| p.1.2 | Facial massage (frontal, peri-orbital, maxillary and mandibular areas) | procedure | 6,73 | 0,86 | 7,59 |
| p.1.3 | Neck massage | procedure | 6,73 | 0,86 | 7,59 |
| p.1.4 | Massage of the neck area (back of the neck, back to the level of the 4th thoracic vertebra, the anterior surface of the chest to the 2nd rib) | procedure | 8,97 | 0,86 | 9,83 |
| p.1.5 | Upper limb massage | procedure | 8,97 | 0,86 | 9,83 |
| p.1.6 | Massage of the upper limb, shoulder girdle and shoulder blade area | procedure | 11,22 | 0,86 | 12,08 |
| p.1.7 | Massage of the shoulder joint (upper third of the shoulder, shoulder joint and shoulder girdle of the same side) | procedure | 6,73 | 0,86 | 7,59 |
| p.1.8 | Massage of the elbow joint (upper third of the forearm, area of the elbow joint and lower third of the shoulder) | procedure | 6,73 | 0,86 | 7,59 |

** The full list of services for professional medical examinations is selected individually.

| | | | | | |
|---------------------------|---|-----------|-------|------|--------------|
| p.1.9 | Massage of the wrist joint (proximal part of the hand, the area of the wrist joint and forearm) | procedure | 6,73 | 0,86 | 7,59 |
| p.1.10 | Hand and forearm massage | procedure | 6,73 | 0,86 | 7,59 |
| p.1.11 | Massage of the chest area (the anterior surface of the chest from the front border of the shoulder girdle to the costal arches and the back area from the 7th to the 1st lumbar vertebra) | procedure | 13,46 | 0,86 | 14,32 |
| p.1.12 | Back massage (from the 7th cervical to the 1st lumbar vertebra and from the left to the right middle axillary line, in children - including the lumbosacral region) | procedure | 8,97 | 0,86 | 9,83 |
| p.1.13 | Massage the muscles of the anterior abdominal wall | procedure | 6,73 | 0,86 | 7,59 |
| p.1.14 | Massage of the lumbosacral region (from the 1st lumbar vertebra to the lower gluteal folds) | procedure | 6,73 | 0,86 | 7,59 |
| p.1.15 | Segmental massage of the lumbosacral region | procedure | 8,97 | 0,86 | 9,83 |
| p.1.17 | Massage of the cervical-thoracic spine (region of the posterior surface of the neck and the region of the back to the first lumbar vertebra and from the left to the right posterior and axillary line) | procedure | 11,22 | 0,86 | 12,08 |
| p.1.19 | Massage of the spine (region of the back of the neck, back and lumbosacral region from the left to the right posterior axillary line) | procedure | 13,46 | 0,86 | 14,32 |
| p.1.22 | Massage of the hip joint (upper third of the thigh, hip joint and gluteal region of the same side) | procedure | 6,73 | 0,86 | 7,59 |
| p.1.23 | Massage of the knee joint (upper third of the leg, area of the knee joint and lower third of the thigh) | procedure | 6,73 | 0,86 | 7,59 |
| p.1.24 | Massage of the ankle (proximal foot, ankle and lower third of the leg) | procedure | 6,73 | 0,86 | 7,59 |
| p.1.25 | Massage foot calf | procedure | 6,73 | 0,86 | 7,59 |
| 17. Electrotherapy | | | | | |
| p. 1.1 | General galvanization, local | procedure | 3,63 | 1,06 | 4,69 |
| p. 1.2 | Electrophoresis of continuous, pulsed currents with the drug: | procedure | | | |
| | sodium bromide 2% | | 5,43 | 1,24 | 6,67 |
| | Novocain 2% | | 5,43 | 1,31 | 6,74 |
| | magnesium sulfate 2% | | 5,43 | 1,30 | 6,73 |
| | potassium iodide 2% | | 5,43 | 1,38 | 6,81 |
| p. 1.16 | Electrotherapy with pulsed low-frequency currents | procedure | 7,26 | 1,26 | 8,52 |
| p. 1.19 | Local darsonvalization | procedure | 7,26 | 1,35 | 8,61 |
| p. 1.30 | Local magnetic therapy | procedure | 3,63 | 0,94 | 4,57 |
| p. 2.4 | Local UV exposure | procedure | 3,88 | 0,84 | 4,72 |

| | | | | | |
|------------------------|--|-----------|-------|------|--------------|
| p. 2.10 | Overhead laser irradiation, laser irradiation | procedure | 7,26 | 1,05 | 8,31 |
| p. 3.1 | Ultrasound therapy | procedure | 7,26 | 1,24 | 8,50 |
| p. 3.3 | Phonophoresis | procedure | 7,26 | 1,07 | 8,33 |
| p. 3.14 | Mechanical apparatus massage on a massage couch, massage chair | procedure | 7,30 | 0,18 | 7,48 |
| 18. Reflexology | | | | | |
| p. 1.1 | Initial consultation with a reflexologist | session | 15,20 | 0,09 | 15,29 |
| p. 1.2 | Repeated consultation of the doctor-reflexologist | session | 7,60 | 0,09 | 7,69 |
| p. 2.1.1 | Electropuncture testing method Nakatani | procedure | 15,20 | 0,14 | 15,34 |
| p. 2.2.1 | Identification of algic points (zones) on the feet | procedure | 10,13 | 0,13 | 10,26 |
| p. 2.2.2 | Identification of algic points (zones) on the hands | procedure | 10,13 | 0,13 | 10,26 |
| p. 2.2.3.1 | Detection of algic points (zones) on the auricle (auricular testing) by sensing method | procedure | 7,60 | 0,13 | 7,73 |
| p. 3.1 | Classical acupuncture (acupuncture) | procedure | 10,13 | 4,01 | 14,14 |
| p. 3.2 | Micro acupuncture | procedure | 7,60 | 2,85 | 10,45 |
| p. 3.3 | Superficial acupuncture | procedure | 7,60 | 0,48 | 8,08 |
| p. 3.4.1 | Vacuum reflexotherapy, stable technique | procedure | 7,60 | 1,32 | 8,92 |
| p. 3.4.2 | Vacuum reflexotherapy with bleeding, stable method | procedure | 10,13 | 2,04 | 12,17 |
| p. 3.4.3 | Vacuum acupuncture | procedure | 10,13 | 3,03 | 13,16 |
| p. 3.7 | Pharmacoreflexotherapy | procedure | 10,13 | 2,04 | 12,17 |
| p. 3.9 | Scalp reflexology | procedure | 15,20 | 2,74 | 17,94 |
| p. 3.10 | Reflexology microsystems brush | procedure | 10,13 | 2,74 | 12,87 |
| p. 3.11 | Foot microscope reflexology | procedure | 10,13 | 2,74 | 12,87 |
| p. 3.12 | Warming up acupuncture points with wormwood cigars | procedure | 10,13 | 0,31 | 10,44 |
| p. 3.13 | Warming up acupuncture points with minimus | procedure | 5,07 | 0,31 | 5,38 |
| p. 3.14 | Auricular reflexology | procedure | 15,20 | 2,48 | 17,68 |
| p. 3.16 | Electro cupuncture | procedure | 12,66 | 0,37 | 13,03 |
| p. 3.18 | Electro acupuncture | procedure | 15,20 | 2,01 | 17,21 |
| p. 3.23 | Magnetotherpuncture | procedure | 10,13 | 0,37 | 10,50 |
| p. 3.26 | Laser puncture | procedure | 10,13 | 0,37 | 10,50 |